

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	443	(model\$3 near3 element) and (html and xml and xhtml and sgml or ml or mark-up or (mark adj up) ) and class	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 10:47
L2	190	(model\$3 near3 element) and (html and xml and xhtml and sgml or ml or mark-up or (mark adj up) ) and class near3 (comprising or consisting or rules or constraints or definitions or defin\$3 )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 09:44
L3	192	(model\$3 near3 element) and (html and xml and xhtml and sgml or ml or mark-up or (mark adj up) ) and class near3 (framework or pattern\$3 comprising or consisting or rules or constraints or definitions or defin\$3 )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 09:22
L4	79	(model\$3 near3 element) and (html and xml and xhtml and sgml or ml or mark-up or (mark adj up) ) and class near3 (framework or pattern\$3 comprising or consisting or rules or constraints or definitions or defin\$3 ) and container	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 09:22
L5	62	(model\$3 near3 element) and (html and xml and xhtml and sgml or ml or mark-up or (mark adj up) ) and class near3 (framework or pattern\$3 comprising or consisting or rules or constraints or definitions or defin\$3 ) and container and (inlin\$3 or in-lin\$3 or embed\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 09:22
L6	60	(model\$3 near3 element) and (html and xml and xhtml and sgml or ml or mark-up or (mark adj up) ) and class near3 (framework or pattern\$3 comprising or consisting or rules or constraints or definitions or defin\$3 ) and container and (inlin\$3 or in-lin\$3 or embed\$4) and (deriv\$3 or nest\$3 or extend\$3 or extension or parent or child or hierarch\$6 )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 09:27

L7	60	(model\$3 near3 element) and (html and xml and xhtml and sgml or ml or mark-up or (mark adj up) ) and class near3 (framework or pattern\$3 comprising or consisting or rules or constraints or definitions or defin\$3 or restrain\$3 or prohibit\$3 ) and container and (inlin\$3 or in-lin\$3 or embed\$4) and (deriv\$3 or nest\$3 or extend\$3 or extension or parent or child or hierarch\$6 )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 09:27
L8	18	document same (model\$3 near3 element) and (html and xml and xhtml and sgml or ml or mark-up or (mark adj up) ) and class near3 (comprising or consisting or rules or constraints or definitions or defin\$3 )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 10:47
L9	0	document same (model\$3 near3 element) same (html and xml and xhtml and sgml or ml or mark-up or (mark adj up) ) and class near3 (specific\$4 or comprising or consisting or rules or constraints or definitions or defin\$3 )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 09:45
L10	963	715/500.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 10:47
L11	5	715/500.ccls. and (model\$3 near3 element) and (html and xml and xhtml and sgml or ml or mark-up or (mark adj up) ) and class	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 10:48
L12	4	717/100.ccls. and (model\$3 near3 element) and (html and xml and xhtml and sgml or ml or mark-up or (mark adj up) ) and class	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 10:49
L13	0	717/106.ccls. and (model\$3 near3 element) and (html and xml and xhtml and sgml or ml or mark-up or (mark adj up) ) and class	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 10:49
L14	0	717/107.ccls. and (model\$3 near3 element) and (html and xml and xhtml and sgml or ml or mark-up or (mark adj up) ) and class	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 10:49

L15	184	717/107.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 10:49
L16	300	717/106.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 10:49
L17	405	717/100.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 10:49
S1	2	(BASE ADJ CLASS) AND (PARENT-CHILD OR HIERARCH\$4 OR CHILD OR INHERIT\$4 ) AND (INLINE ADJ CLASS) AND (CONTAINER ADJ CLASS )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/26 13:50
S2	1886	(BASE ADJ CLASS) AND (PARENT-CHILD OR HIERARCH\$4 OR CHILD OR INHERIT\$4 )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/25 17:03
S3	99	(BASE ADJ CLASS) AND (PARENT-CHILD OR HIERARCH\$4 OR CHILD OR INHERIT\$4 ) AND CONTAINER AND (INLINE OR IN-LINE)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/26 13:52
S4	524	(BASE ADJ CLASS) AND (PARENT-CHILD OR HIERARCH\$4 OR CHILD OR INHERIT\$4 ) AND (MARKUP OR MARK-UP OR XML OR HTML OR XHTML OR SGML)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/26 13:53
S5	439	(BASE ADJ CLASS) AND (PARENT-CHILD OR HIERARCH\$4 OR CHILD OR INHERIT\$4 ) AND (MARKUP OR MARK-UP OR XML OR HTML OR XHTML OR SGML) AND TOOL	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/26 13:53
S6	31	(BASE ADJ CLASS) AND (PARENT-CHILD OR HIERARCH\$4 OR CHILD OR INHERIT\$4 ) AND CONTAINER AND (INLINE OR IN-LINE) AND (STOR\$3 NEAR5 PARENT )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/26 13:54
S7	84	(BASE ADJ CLASS) AND (PARENT-CHILD OR HIERARCH\$4 OR CHILD OR INHERIT\$4 ) AND CONTAINER AND (INLINE OR IN-LINE) AND TOOL	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/26 14:23

S8	8	("4658370"   "4866635"   "4916625"   "4985857"   "5043915"   "5136523"   "5379430"   "5768480").PN.	USPAT	OR	OFF	2003/11/26 14:10
S9	139	717/104.CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/26 14:23
S10	98	717/104.CCLS. AND CLASS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/26 14:59
S11	84	html and xml and xhtml and sgml	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/26 16:48
S12	4635	extension same class	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/26 15:00
S13	85	(inlin\$3 or in-lin\$3 or (in adj lin\$3) ) near3 class	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/26 15:01
S14	10	(extension same class ) and ((inlin\$3 or in-lin\$3 or (in adj lin\$3) ) near3 class)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/26 15:07
S15	2	(html and xml and xhtml and sgml ) and ((inlin\$3 or in-lin\$3 or (in adj lin\$3) ) near3 class)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/26 15:08
S16	5	(html and xml and xhtml and sgml ) and (extension same class )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/26 15:08
S17	22	child near5 (stor\$3 near3 ((in or within ) near5 parent))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/26 15:13

S18	1	comment and format\$3 and embed\$3 and imag\$3 and anchor\$3 and (paragraph adj marker) and (line adj break) and (horizontal adj rule)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/26 15:14
S19	1	imag\$3 and anchor\$3 and (paragraph adj marker) and (line adj break) and (horizontal adj rule)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/26 15:15
S20	9	imag\$3 and anchor\$3 and (line adj break) and (horizontal adj rule)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/26 15:19
S21	3308	(html or ml or (mark adj up) or markup) near5 elements	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/26 15:19
S22	447	(html or ml or (mark adj up) or markup) near5 elements same format\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/26 15:20
S23	0	(html or ml or (mark adj up) or markup) near5 elements same format\$4 same (line adj break) same (horizontal adj rule)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/26 15:20
S24	4	(html or ml or (mark adj up) or markup) near5 elements same format\$4 and (horizontal adj rule)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/26 15:24
S25	546	(html or ml or (mark adj up) or markup) near5 format\$4 near3 tag\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/26 16:10
S26	210	(html or ml or (mark adj up) or markup) near5 format\$4 near3 tag\$4 and extension	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/26 15:26
S27	33	(html or ml or (mark adj up) or markup) near5 format\$4 near3 tag\$4 and extension and container	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/26 15:48

S28	26387	extension near3 extension	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/26 15:48
S29	0	extension adj (to adj extension )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/26 15:48
S30	0	extension adj (to near3 extension )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/26 15:49
S31	2	"6438575".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/26 15:52
S32	2	"5940834".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/26 16:07
S33	118	program near3 development same ((class or classes) near5 (set or collection))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/26 16:08
S34	118	(program near3 development) same ((class or classes) near5 (set or collection))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/26 16:15
S35	587	(html or ml or (mark adj up) or markup) near5 (format\$4 near3 ( tag\$4 or element or token or identifier))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/26 16:11
S36	1	((program near3 development) same ((class or classes) near5 (set or collection)) ) and ((html or ml or (mark adj up) or markup) near5 (format\$4 near3 ( tag\$4 or element or token or identifier)) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/26 16:11
S37	42	(program near3 development) same ((class or classes) near5 (set or collection)) and extension	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/26 16:19



S38	188	(john and c and adams).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/26 16:20
S39	6	(john and c and adams).in. and (class or classes) and markup	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/26 16:21
S40	1250	(creat\$3 or build\$3) near5 ((xml or html or sgml or xhtml or ml or markup or mark-up) near5 (document or page or code or software or application)) and (class or classes)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/02 14:36
S41	102	(creat\$3 or build\$3) near5 ((xml or html or sgml or xhtml or ml or markup or mark-up) near5 (document or page or code or software or application)) same (class or classes)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/02 14:10
S42	107	(creat\$3 or build\$3 or produc\$4 ) near5 ((xml or html or sgml or xhtml or ml or markup or mark-up) near3 (document or page or code or software or application)) same (class or classes) and (format\$4 or tag or element)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/02 14:11
S43	22	(creat\$3 or build\$3 or produc\$4 ) near5 ((xml or html or sgml or xhtml or ml or markup or mark-up) near3 (document or page or code or software or application)) same (class or classes) and (format\$4 or tag or element) and (class near5 (derived or subclassed ))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/02 14:12
S44	28	(creat\$3 or build\$3 or produc\$4 ) near5 ((xml or html or sgml or xhtml or ml or markup or mark-up) near3 (document or page or code or software or application)) same (class or classes) and (format\$4 or tag or element) and (class near5 (derived or subclassed or child ))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/02 14:12

S45	52	(software adj development adj tool) and (creat\$3 or build\$3) near5 ((xml or html or sgml or xhtml or ml or markup or mark-up) near5 (document or page or code or software or application)) and (class or classes)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/02 14:37
S46	119	(software adj development adj tool) and ((xml or html or sgml or xhtml or ml or markup or mark-up) near5 (document or page or code or software or application)) and (class or classes)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/02 14:37
S47	49	((software adj development adj tool) and (creat\$3 or build\$3) near5 ((xml or html or sgml or xhtml or ml or markup or mark-up) near5 (document or page or code or software or application)) and (class or classes) ) not ((creat\$3 or build\$3 or produc\$4 ) near5 ((xml or html or sgml or xhtml or ml or markup or mark-up) near3 (document or page or code or software or application)) same (class or classes) and (format\$4 or tag or element) and (class near5 (derived or subclassed or child )) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/03 08:27
S48	2	"20020019815"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/03 08:27
S49	0	"20020019815" and (html or ml or markup or mark-up or (mark adj up))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/03 08:28
S50	2	"20020042831" and (html or ml or markup or mark-up or (mark adj up))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/03 08:29
S51	2	"20020042831" and (html or ml or markup or mark-up or (mark adj up) or xml or xhtml or sgml)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/03 08:49



S52	85	(html and xml and xhtml and sgml)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/03 08:52
S53	25	format\$4 and embed\$4 and image and anchor and paragraph and (line adj break ) and (horizontal adj ( rule or line))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/03 08:51
S54	1	((html and xml and xhtml and sgml) ) and (format\$4 and embed\$4 and image and anchor and paragraph and (line adj break ) and (horizontal adj ( rule or line)) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/03 08:50
S55	28	image and anchor and paragraph and (line adj break ) and (horizontal adj ( rule or line) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/03 08:59
S56	1	((html and xml and xhtml and sgml) ) and ( image and anchor and paragraph and (line adj break ) and (horizontal adj ( rule or line) ) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/03 08:51
S57	1	(html and xml and xhtml and sgml) and (line adj break) and (horizontal) and anchor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/03 08:52
S58	79	(html and xml and xhtml and sgml) and format\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/03 09:16
S59	13	image and anchor and paragraph and (line adj break ) and (horizontal adj ( rule or line) ) and (html or ml or xml or sgml or xhtml)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/03 09:05
S60	6834	bold\$3 and center\$3 and table and (selection or list)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/03 09:05
S61	3	((html and xml and xhtml and sgml) and format\$4 ) and (bold\$3 and center\$3 and table and (selection or list) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/03 09:06

S62	7	( image and anchor and paragraph and (line adj break ) and (horizontal adj ( rule or line) ) and (html or ml or xml or sgml or xhtml) ) and (bold\$3 and center\$3 and table and (selection or list) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/03 09:06
S63	51	(html and xml and xhtml and sgml) and format\$4 and tags	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/03 11:08
S64	1184	style adj sheets	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/03 11:09
S65	4	(bold\$3 and center\$3 and table and (selection or list) ) and (style adj sheets) and ( image and anchor and paragraph and (line adj break ) and (horizontal adj ( rule or line) ) and (html or ml or xml or sgml or xhtml) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/03 11:09
S66	63	(bold\$3 and center\$3 and table and (selection or list) ) and (style adj sheets)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/03 11:28
S67	1	"6598035".pn. and (library or dll)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/03 12:29
S68	17	("5708825" "5860073" "5953526" "646833" "6584480" "6598035" "6651240" "6654754" ).pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/03 12:33
S69	4	("6476833" ).pn. or "20020042831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/03 12:48
S70	236	717/100.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/03 12:51

S71	175	717/106.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/03 12:51
S72	128	717/107.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/03 12:51
S73	229	717/108.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/03 12:51
S74	0	2002/0042831	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/08 08:41
S75	2	"20020042831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/08 08:42
S76	2	"6625803".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/25 16:55
S77	2794	stor\$3 near3 child	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/25 16:56
S78	355	(stor\$3 near3 child) near3 parent	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/25 16:57
S79	57	(stor\$3 adj child) near3 parent	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/25 16:57
S80	2143	(BASE ADJ CLASS) AND (PARENT-CHILD OR HIERARCH\$4 OR CHILD OR INHERIT\$4 )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/25 17:04

S81	19	((stor\$3 near3 child) near3 parent ) and ((BASE ADJ CLASS) AND (PARENT-CHILD OR HIERARCH\$4 OR CHILD OR INHERIT\$4 ) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/26 16:45
S82	17	((child adj object) near3 stor\$3 ) near3 parent	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/25 17:18
S83	3	((child adj object) near3 stor\$3 ) near3 ( (in or within or inside ) adj parent)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/25 17:24
S84	1	"6598035".pn. and (memory or stor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/26 16:29
S85	1	"6035119".pn. and (memory or stor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/26 16:29
S86	1	"6035119".pn. and (browser)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/26 16:30
S87	6	((stor\$3 near3 child) near3 parent ) and ((BASE ADJ CLASS) AND (PARENT-CHILD OR HIERARCH\$4 OR CHILD OR INHERIT\$4 ) ) and buffer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/26 16:45
S88	1	html and xml and xhtml and sgml and (stor\$3 near5 (temporary or temp or buffer ) ) and (stor\$3 near3 container )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/26 16:50
S89	114	(html or xml or xhtml or sgml or markup or mark-up or (mark adj up)) and (stor\$3 near5 (temporary or temp or buffer ) ) and (stor\$3 near3 container )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/26 16:51
S90	108	(html or xml or xhtml or sgml or markup or mark-up or (mark adj up)) and (stor\$3 near3 (temporary or temp or buffer ) ) and (stor\$3 near3 container )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/26 16:55

S91	4029	(html or xml or xhtml or sgml or markup or mark-up or (mark adj up)) and (stor\$3 near3 (temporary or temp or buffer ) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/26 16:57
S92	322	(html or xml or xhtml or sgml or markup or mark-up or (mark adj up)) and (stor\$3 near3 (temporary or temp ) ) and (stor\$3 near3 buffer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/26 17:25
S93	203	html and container and (( temp or temporary) adj stor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/26 17:28
S94	21	html and container same (( temp or temporary) adj stor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/26 17:30
S95	39	html and stor\$3 near3 (child near3 (data or information ) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/26 17:32
S96	1	html and ((temp or temporary) near3 stor\$3) near3 (child near3 (data or information ) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/26 17:33
S97	81	container adj class same stor\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/27 07:12
S98	1	"6208994".URPN.	USPAT	OR	OFF	2004/05/26 17:45
S99	8	("5805796"   "6208994"   "6272537"   "6301582"   "6356913"   "6370508"   "6560609"   "6567818"   "2002/0129345").PN.	USPAT	OR	OFF	2004/05/26 17:46
S100	2	((markup or mark-up or ( mark adj up) or html or xml) near3 class) near5 stor\$3 and container	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/27 07:17
S101	692	((markup or mark-up or ( mark adj up) or html or xml) ) near5 stor\$3 and container	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/27 07:17

S10 2	158	((markup or mark-up or ( mark adj up) or html or xml) ) near5 stor\$3 and container same class	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/27 07:18
S10 3	4	((markup or mark-up or ( mark adj up) or html or xml) ) near5 stor\$3 same ( container and class )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/27 07:42
S10 4	0	((markup or mark-up or ( mark adj up) or html or xml) or sgml ) near5 ( stor\$3 same ( container and class ) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/27 07:48
S10 5	4820	((markup or mark-up or ( mark adj up) or html or xml) or sgml ) and ( stor\$3 same ( container or class ) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/27 07:49
S10 6	909	((markup or mark-up or ( mark adj up) or html or xml) or sgml )same ( stor\$3 same ( container or class ) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/27 07:50
S10 7	216	((markup or mark-up or ( mark adj up) or html or xml) or sgml )same ( stor\$3 near5 ( container or class ) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/27 07:50
S10 8	56	((markup or mark-up or ( mark adj up) or html or xml) or sgml )same ( stor\$3 near3 ( container or class ) ) and (container and class)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/27 13:44
S10 9	37	"5987480".URPN.	USPAT	OR	OFF	2004/05/27 07:53
S11 0	11	("4750135"   "5267155"   "5339392"   "5408655"   "5444836"   "5576951"   "5649186"   "5684951"   "5694546"   "5706434"   "5708780").PN.	USPAT	OR	OFF	2004/05/27 08:04
S11 1	37	"5987480".URPN.	USPAT	OR	OFF	2004/05/27 08:05
S11 2	1	"6035119".pn. and ( memory or stor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/27 13:52

S11 3	183681	"6035119".pn. and link\$3 or compil\$5 or library or dll	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/27 13:53
S11 4	1	"6598035".pn. and (link\$3 or compil\$5 or library or dll )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/27 13:53
S11 5	1	"6035119".pn. and (link\$3 or compil\$5 or library or dll )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/27 13:53
S11 6	849	(markup or mark-up or (mark adj up) or xml or ml or sgml or html or xhtml) and (class near3 extension)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 13:18
S11 7	74	(markup or mark-up or (mark adj up) or xml or ml or sgml or html or xhtml) and (class near3 extension) and (inline or in-line or (in adj line)) and container	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 13:19
S11 8	67	(generat\$3 or produc\$3 or creat\$3) near5 (markup or mark-up or (mark adj up) or xml or ml or sgml or html or xhtml) and (class near3 extension) and (inline or in-line or (in adj line)) and container	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 13:20
S11 9	68	(generat\$3 or produc\$3 or creat\$3 or develop\$4 ) near5 (markup or mark-up or (mark adj up) or xml or ml or sgml or html or xhtml) and (class near3 extension) and (inline or in-line or (in adj line)) and container	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 13:20
S12 0	68	(generat\$3 or produc\$3 or creat\$3 or develop\$4 ) near5 (markup or mark-up or (mark adj up) or xml or ml or sgml or html or xhtml) and (class near3 extension) and (inline or in-line or (in adj line)) and container and (nest\$3 or hierarch\$4 or parent or child)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 13:21



S12 1	56	(generat\$3 or produc\$3 or creat\$3 or develop\$4 ) near5 (markup or mark-up or (mark adj up) or xml or ml or sgml or html or xhtml) and (class near3 extension) and (inline or in-line or (in adj line)) and container and (nest\$3 or hierarch\$4 or parent or child) and class near3 (template or framework or rules or condition)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 13:21
S12 2	56	(generat\$3 or produc\$3 or creat\$3 or develop\$4 ) near5 (markup or mark-up or (mark adj up) or xml or ml or sgml or html or xhtml) and (class near3 extension) and (inline or in-line or (in adj line)) and container and (nest\$3 or hierarch\$4 or parent or child) and class near3 (template or framework or rules or condition or polic\$3 )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 13:22
S12 3	57	(generat\$3 or produc\$3 or creat\$3 or develop\$4 ) near5 (markup or mark-up or (mark adj up) or xml or ml or sgml or html or xhtml) and (class near3 extension) and (inline or in-line or (in adj line)) and container and (nest\$3 or hierarch\$4 or parent or child) and (class or element) near3 (template or framework or rules or condition or polic\$3 )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 13:32
S12 4	43	(output\$4 or build\$3) near5 (markup or mark-up or (mark adj up) or xml or ml or sgml or html or xhtml) and (class near3 extension) and (inline or in-line or (in adj line)) and container and (nest\$3 or hierarch\$4 or parent or child) and (class or element) near3 (template or framework or rules or condition or polic\$3 )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 13:36
S12 5	0	S124 not S123	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 13:32
S12 6	93287	(output\$4 or build\$3 or generat\$3 or produc\$3 or creat\$3) near5 (markup or mark-up or (mark adj up) or xml or ml or sgml or html or xhtml)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 13:37

S12 7	630	(output\$4 or build\$3 or generat\$3 or produc\$3 or creat\$3) near5 (markup or mark-up or (mark adj up) or xml or ml or sgml or html or xhtml) and (class near3 extension)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 13:37
S12 8	249	(output\$4 or build\$3 or generat\$3 or produc\$3 or creat\$3) near5 (markup or mark-up or (mark adj up) or xml or ml or sgml or html or xhtml) and (class near3 extension) and container	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 13:37
S12 9	249	(output\$4 or build\$3 or generat\$3 or produc\$3 or creat\$3) near5 (markup or mark-up or (mark adj up) or xml or ml or sgml or html or xhtml) and (class near3 extension) and container and (nest\$3 or hierarch\$4 or parent or child or extend\$3 or extension )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 13:40
S13 0	182	S129 not S119	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 13:38
S13 1	68	(output\$4 or build\$3 or generat\$3 or produc\$3 or creat\$3) near5 (markup or mark-up or (mark adj up) or xml or ml or sgml or html or xhtml) and (class near3 extension) and container and (nest\$3 or hierarch\$4 or parent or child or extend\$3 or extension ) and (in-lin\$3 or inlin\$3 or ( in adj lin\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 13:42
S13 2	238	(output\$4 or build\$3 or generat\$3 or produc\$3 or creat\$3) near5 (markup or mark-up or (mark adj up) or xml or ml or sgml or html or xhtml) and (class near3 extension) and container and (nest\$3 or hierarch\$4 or parent or child or extend\$3 or extension ) and (in-lin\$3 or inlin\$3 or ( in adj lin\$3) or embed\$4 )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 13:42

S13 3	171	(output\$4 or build\$3 or generat\$3 or produc\$3 or creat\$3) near5 (markup or mark-up or (mark adj up) or xml or ml or sgml or html or xhtml) and (class near3 extension) and container and (nest\$3 or hierarch\$4 or parent or child or extend\$3 or extension ) and (in-lin\$3 or inlin\$3 or ( in adj lin\$3) or embed\$4 ) not S119	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 13:51
S13 4	13	(output\$4 or build\$3 or generat\$3 or produc\$3 or creat\$3) near5 (markup or mark-up or (mark adj up) or xml or ml or sgml or html or xhtml) and (class near3 extension) and container and (nest\$3 or hierarch\$4 or parent or child or extend\$3 or extension ) and 717/10?.cccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 14:18
S13 5	8	("5826017" "6347340" "5680552" "5659555").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 14:07
S13 6	712	(output\$4 or build\$3 or generat\$3 or produc\$3 or creat\$3) near5 (markup or mark-up or (mark adj up) or xml or ml or sgml or html or xhtml) and ((define or definition or format\$4 or template) near5 class) and container and (nest\$3 or hierarch\$4 or parent or child or extend\$3 or extension )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 14:20
S13 7	76	(output\$4 or build\$3 or generat\$3 or produc\$3 or creat\$3) near5 (markup or mark-up or (mark adj up) or xml or ml or sgml or html or xhtml) same ((define or definition or format\$4 or template) near5 class) and container and (nest\$3 or hierarch\$4 or parent or child or extend\$3 or extension )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 14:21
S13 8	67	(output\$4 or build\$3 or generat\$3 or produc\$3 or creat\$3) near5 (markup or mark-up or (mark adj up) or xml or ml or sgml or html or xhtml) same ((define or definition or format\$4 or template) near5 class) and container and (nest\$3 or hierarch\$4 or parent or child or extend\$3 or extension ) and (class near5 attribute or (properties or property) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 15:16

S13 9	960	715/500.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 15:16
S14 0	57	715/500.ccls. and (define or definition) near5 class	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 15:19
S14 1	47	715/500.ccls. and (define or definition) near5 class and (extending or extension or hierarchy or parent or child or nest\$3 or embed\$4 )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 15:21
S14 2	47	715/500.ccls. and (define or definition) near5 class and (extending or extension or hierarchy or parent or child or nest\$3 or embed\$4 or heirarchical\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 15:24
S14 3	29	715/500.ccls. and (define or definition) near5 class and (extending or extension or hierarchy or parent or child or nest\$3 or embed\$4 or heirarchical\$2) and (ml or xml or html or sgml or xhtml or markup or mark-up or (mark adj up) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 15:33
S14 4	141	715/513.ccls. and (define or definition) near5 class and (extending or extension or hierarchy or parent or child or nest\$3 or embed\$4 or heirarchical\$2) and (ml or xml or html or sgml or xhtml or markup or mark-up or (mark adj up) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 15:42
S14 5	18	715/514.ccls. and (define or definition) near5 class and (extending or extension or hierarchy or parent or child or nest\$3 or embed\$4 or heirarchical\$2) and (ml or xml or html or sgml or xhtml or markup or mark-up or (mark adj up) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 15:36
S14 6	5	715/515.ccls. and (define or definition) near5 class and (extending or extension or hierarchy or parent or child or nest\$3 or embed\$4 or heirarchical\$2) and (ml or xml or html or sgml or xhtml or markup or mark-up or (mark adj up) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 15:34

S14 7	63	715/513.ccls. and (define or definition) near5 class same (attribute or property or properties) and (extending or extension or hierarchy or parent or child or nest\$3 or embed\$4 or heirarchical\$2) and (ml or xml or html or sgml or xhtml or markup or mark-up or (mark adj up) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 15:55
S14 8	17	715/513.ccls. and (define or definition) near5 class same (attribute or property or properties) and (base near3 class) and (deriv\$3 or extending or extension or hierarchy or parent or child or nest\$3 or embed\$4 or heirarchical\$2) and (ml or xml or html or sgml or xhtml or markup or mark-up or (mark adj up) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 16:11
S14 9	4	715/513.ccls. and (define or definition) near5 class same (attribute or property or properties) and (base near3 class) and (deriv\$3 or extending or extension or hierarchy or parent or child or nest\$3 or embed\$4 or heirarchical\$2) and (ml or xml or html or sgml or xhtml or markup or mark-up or (mark adj up) ) and (class near5 (prohibit\$3 or conditions or permit\$4) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 16:12
S15 0	0	715/5.ccls. and (define or definition) near5 class same (attribute or property or properties) and (base near3 class) and (deriv\$3 or extending or extension or hierarchy or parent or child or nest\$3 or embed\$4 or heirarchical\$2) and (ml or xml or html or sgml or xhtml or markup or mark-up or (mark adj up) ) and (class near5 (prohibit\$3 or conditions or permit\$4) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 16:12

S15 1	7	715/5???.ccls. and (define or definition) near5 class same (attribute or property or properties) and (base near3 class) and (deriv\$3 or extending or extension or hierarchy or parent or child or nest\$3 or embed\$4 or heirarchical\$2) and (ml or xml or html or sgml or xhtml or markup or mark-up or (mark adj up) ) and (class near5 (prohibit\$3 or conditions or permit\$4 ) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 16:13
----------	---	---	---	----	----	------------------